# **Product Label**





# **VRA/DRA**

# **Volatility Reducing Agent and Drift Control Adjuvant For Use with Herbicide Products Containing Dicamba**

Principal Functioning Agents:	
Proprietary blend of volatility reducing	100%
agents and drift control polymers	
Total	100%

All ingredients are exempt from tolerance under 40 CFR 180

## **CAUTION**

KEEP OUT OF REACH OF CHILDREN

May cause eye and skin irritation

Read entire label for additional precautionary statements.

Net Contents: 2.5 gallons



Manufactured By:
Coastal AgroBusiness, Inc.
Greenville, North Carolina

#### **PRECAUTIONARY STATEMENTS**

**WARNING:** May cause eye and skin irritation. Avoid contact with eyes, skin or clothing. Wash thoroughly after handling. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Remove and wash contaminated clothing before reuse.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. Always read and follow pesticide manufacturer's label(s).

#### **FIRST AID**

Have the product container or label with you if calling a poison control center or doctor, or going for treatment.

**IF IN EYES:** Immediately flush with plenty of water. Continue for at least 15 minutes. If easy to do, remove contact lenses. If there are persistent symptoms, obtain medical advice.

**IF ON SKIN OR CLOTHING:** Take off contaminated clothing, wristwatch, and jewelry. Wash affected skin with plenty of water. Continue for at least 15 minutes. Wash clothes and clean shoes before reuse. If there are persistent symptoms, obtain medical advice.

**IF SWALLOWED:** Rinse mouth thoroughly with water. Immediately offer water to drink. Never give anything by mouth to an unconscious person. Do NOT induce vomiting unless directed by medical personnel. If symptoms occur, get medical attention.

**IF INHALED:** Move to fresh air. If not breathing, give artificial respiration. If breathing is difficult, give oxygen. Get medical advice from a poison control center or doctor.

#### STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage or disposal.

**STORAGE:** Keep out of reach of children. Keep away from food, drink, and animal feed. Keep only in original container.

**DISPOSAL:** Wastes resulting from use of this product should be disposed of through on-site application or at an approved waste disposal facility. Triple rinse (or equivalent), then offer for recycling or reconditioning, or puncture and dispose of in a sanitary landfill, or other procedures approved by state and local authorities.

**CONTAINER HANDLING:** Dispose of container in accordance with all government regulations. Triple rinse (or equivalent), then offer for recycling, if available, or reconditioning, if appropriate. Alternatively, puncture and dispose of the container in a sanitary landfill, or by other procedures approved by state and local authorities. Recycling cleaned containers is the best option of container disposal. ACRC (Agricultural Container Recycling Council) operates a national recycling program. To contact your state and local ACRC recycler, visit the ACRC web page at www.acrecycle.org

#### AGRICULTURAL USE REQUIREMENTS AND USER SAFETY RECOMMENDATIONS

When used in conjunction with pesticides, consult pesticide manufacturer's label for worker protection recommendations. Use of waterproof gloves and protective eyewear is recommended when handling this product.

#### **DIRECTIONS FOR USE**

Voladex<sup>™</sup>, is a multifunctional adjuvant used to help control the volatility and drift that may occur with the use of certain forms of dicamba. Voladex<sup>™</sup> helps to form consistent droplet sizes within the optimum range for uniform control and accurate delivery of the application. Voladex<sup>™</sup> is recommended for use on all agricultural crops and is compatible with most active ingredients such as glyphosate, 2,4-D, and dicamba. Voladex<sup>™</sup> has been approved for use as a DRA and VRA with Xtendimax®, Engenia®, and Tavium®. Caution should be used when applying this or any other product on crops during hot, dry field conditions,

#### Voladex™ DOES NOT CONTAIN AMS.

**Voladex™** should be used at a concentration of 1.5% v/v or 1.5 gallons per 100 gallons of solution. Always follow dicamba product label requirements.

RATE SELECTION CHART	
Water Carrier Rate	Voladex Use Rate
(Gallons of Water per Acre)	(Fluid Ounces per Acre)
15 GPA	28 fl oz/A
20 GPA	38 fl oz/A
25 GPA	48 fl oz/A

### **MIXING (ORDER OF ADDITION)**

Prior to mixing, fill the spray tank with half the required amount of carrier. Start the sprayer and check operation of all valves and gauges and that there is adequate tank agitation.

To prevent or minimize foaming, add an approved antifoaming agent such as Foam-Eater.

Add the required amount of **Voladex™**, then:

- Wettable Powders (WP) then Flowables (F, DF)
- Liquid and Soluble Products
- Emulsifiable Concentrates (EC)
- Continue filling tank maintaining minimal agitation.

Best results are obtained if spray mix is used within 24 hours of mixing.

#### **CONDITIONS OF SALE AND LIMITATION OF WARRANTY AND LIABILITY**

**NOTICE**: Read the entire Directions for Use, Conditions, Disclaimer of Warranties and Limitations of Liability before using this product. If terms are not acceptable, return the unopened product container at once. By using this product, user or buyer accepts the following Conditions, Disclaimer of Warranties and Limitations of Liability, which cannot be changed by any verbal or written agreement.

**CONDITIONS:** The directions for use of this product are believed to be adequate and must be followed carefully. However, it is impossible to eliminate all risks associated with the use of this product. Crop injury, ineffectiveness or other unintended consequences may result because of such factors as weather conditions, presence of other materials, or the manner of use or application, all of which are beyond the control of Coastal AgroBusiness. To the extent consistent with applicable law, all such risks shall be assumed by the user or buyer.

DISCLAIMER OF WARRANTIES: TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, Coastal Agrobusiness MAKES NO OTHER WARRANTIES, EXPRESS OR IMPLIED, OF MERCHANTABILITY OR OF FITNESS FOR A PARTICULAR PURPOSE OR OTHERWISE, THAT EXTEND BEYOND THE STATEMENTS MADE ON THIS LABEL. NO AGENT OF COASTAL AGROBUSINESS IS AUTHORIZED TO MAKE ANY WARRANTIES BEYOND THOSE CONTAINED HEREIN OR TO MODIFY THE WARRANTIES CONTAINED HEREIN. TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, Coastal Agrobusiness DISCLAIMS ANY LIABILITY WHATSOEVER FOR SPECIAL, INCIDENTAL OR CONSEQUENTIAL DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT.

**LIMITATIONS OF LIABILITY:** TO THE EXTENT CONSISTENT WITH APPLICABLE LAW, THE EXCLUSIVE REMEDY OF THE USER OR BUYER FOR ANY AND ALL LOSSES, INJURIES OR DAMAGES RESULTING FROM THE USE OR HANDLING OF THIS PRODUCT, WHETHER IN CONTRACT, WARRANTY, TORT, NEGLIGENCE, STRICT LIABILITY OR OTHERWISE, SHALL NOT EXCEED THE PURCHASE PRICE PAID, OR AT COASTAL AGROBUSINESS' ELECTION, THE REPLACEMENT OF PRODUCT.

Coastal AgroBusiness™ logo is a trademark of Coastal AgroBusiness, Inc. Voladex™ is a trademark of Coastal AgroBusiness, Inc. Xtendimax® is a registered trademark of Bayer Group Engenia® is a registered trademark of BASF Corporation Tavium® is a registered trademark of Syngenta Group Company