Coastal AgroBusiness, Inc.

Product Label

GOLD Label Zn

Guaranteed Analysis:

Total Nitrogen 6.00%

(4.13% Ammoniacal Nitrogen, 1.87% Urea Nitrogen)

Available Phosphate (P_2O_5) 16.0%

Soluble Potash (K_2O) 4.00%

Zinc (Zn) 0.77%

(0.77% Water Soluble Zinc)

Derived from Ammonium hydroxide, urea, phosphoric acid, potassium acetate, potassium hydroxide, zinc EDTA.

Also contains non-plant food ingredients and soil amending ingredients:

7.1% humic and fulvic acids derived from Leonardite.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Read the entire label for additional precautionary statements.

Weight per gallon: 10.51 lbs.

Manufactured By:
Coastal AgroBusiness, Inc.
Kinston, North Carolina

GENERAL INFORMATION

GOLD LABEL Zn is designed for use as a starter on various agricultural crops to aid in plant development by increasing the availability of mineral nutrients and to condition the soil. **GOLD LABEL Zn** contains humic substances derived from Leonardite. **GOLD LABEL Zn** is designed for use in all soil types and should be concentrated for maximum response.

PRECAUTIONARY STATEMENTS / HAZARDS TO HUMANS

CAUTION: KEEP OUT OF REACH OF CHILDREN. Avoid contact with eyes, skin, or clothing. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse. Do not apply this product in a manner as to directly or through drift expose workers or other persons. Always read and follow product labeling.

FIRST AID

If swallowed: Call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

If in eyes: Flush eyes with copious amounts of clean water for at least 15 minutes. Remove contacts if present, and easy to do. Do not let the victim rub their eye. Get medical attention.

If on skin: Remove contaminated clothing and wash skin with soap and water. If irritation develops, get medical attention.

If inhaled: Remove the person from the area of exposure. Give artificial respiration if necessary. If breathing is difficult, give oxygen if a qualified operator is available. Seek medical attention.

NOTE: If contact is made with a spray solution containing crop protection products, follow the "First Aid" statements on the crop protection product label.

STORAGE AND DISPOSAL

Do not store near heat or open flame. Store in original container only. Keep container closed when not in use. If damaged or leaking, soak up with absorbent material and place in a suitable container for disposal. Transfer remaining product to a suitable container for storage and label. Do not contaminate water, food, or feed by storage or disposal. Do not contaminate water by runoff from equipment wash waters or spray materials. Wastes resulting from this product may be disposed of on-site or at an approved waste disposal facility.

Container disposal: Triple rinse (or equivalent) and add rinsate to spray tank, then offer for recycling, or puncture and dispose of in a sanitary landfill or by incineration, or, if allowed by state and local authorities, by burning. If burned, stay out of smoke.

Always read and follow crop protection manufacturer's label

SHAKE WELL BEFORE USE

AGRICULTURAL USE REQUIREMENTS AND USER SAFETY RECOMMENDATIONS

When used in conjunction with crop protection products, consult the crop protection manufacturer's label for worker protection recommendations. Use of waterproof gloves and protective eyewear is recommended when handling this product.

DIRECTIONS FOR USE

This product is compatible with most crop protection products and fertilizers. However, a test for compatibility is recommended prior to large-scale mixing. Always add **GOLD LABEL ZN** to water prior to the addition of crop protection products and/or buffering agents.

SOIL APPLICATION

GOLD LABEL ZN may be used with a variety of agricultural crops. The optimum rate ranges from 1 to 5 gallons per acre. **GOLD LABEL ZN** may be applied broadcast, 2x2, banded, side dressed, in-furrow, or injected 1-2 inches below the seed.

Crops	Soil Applied Rate	Foliar Applied Rate/Other
Tobacco	1-2 gallons/acre per application as needed	2 qts. in transplant water
Peanuts and Cotton	1-2 gallons/acre per application as needed	2-8 qts./acre
Corn and Wheat	1-5 gallons/acre in-furrow or 2x2	2-4 qts./acre
Pome and Stone Fruit	2-8 gallons/acre per application	1-2 gallons/acre
Root and Tuber Vegetables	2-5 gallons/acre	1 gallon/acre
Leafy and Brassica Vegetables Lettuce, broccoli, cabbage, cauliflower, collards, brussels sprouts, etc.	1-3 gallons/acre starter OR 1-3 gallons/acre in transplant water	1-2 qts./acre
Fruiting Vegetables Tomato, pepper, eggplant, etc.	1-5 gallons/acre	2-4 qts./acre

SHAKE WELL BEFORE USE

Always mix well to ensure proper distribution during application

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with the directions contained on this label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to, damage to plants, crops, and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops, and personal injury.