Coastal AgroBusiness, Inc.

Product Label

Principal Functioning Agents:

Enzymatically hydrolyzed proteins, peptides, and amino acids 24.0%

Alkyl polyethoxy ethers, ethoxylated alcohols and their derivatives 37.5%

Constituents Ineffective as Spray Adjuvants 38.5%

Total 100%

All ingredients are exempt from tolerance as specified in 40 CFR 180.



WARNING

May be harmful if swallowed. Causes skin irritation and serious eye irritation.

KEEP OUT OF REACH OF CHILDREN

Read the entire label for additional precautionary statements.

Weight per gallon: 9.67 lbs.

Manufactured For:
Coastal AgroBusiness, Inc.
Greenville, North Carolina

GENERAL INFORMATION

Veridia™ is a proprietary nonionic surfactant that is powered by **Proteon Technology™**. **Veridia™ with Proteon Technology™** reduces surface tension for better spray wetting and retention while improving foliar nutrient uptake and crop protection performance. **Veridia™ with Proteon Technology™** supplies peptides and amino acids produced from a proprietary enzymatic hydrolysis process that supports abiotic stress tolerance, recovery, and increased nutritional efficiency.

Peptides are key signaling molecules in plants, enabling communication between cells to coordinate growth, development, and responses to stress. Bioactive peptides supplied by **Veridia™ with Proteon Technology™** interact with specific receptors on the cell surface, triggering targeted cellular responses. These interactions lead to defined physiological effects in plants, including enhanced lateral root development, stimulation of germination, improved stress tolerance, and increased fruit size.

PRECAUTIONARY STATEMENTS / HAZARDS TO HUMANS

WARNING: May be harmful if swallowed. May cause skin irritation and serious eye irritation. Avoid inhalation and contact with eyes, skin, or clothing. Wear goggles or face shield when handling. Avoid breathing vapors or spray mists. Use only with adequate ventilation. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse.

Do not apply this product in such a manner as to directly or through drift expose workers or other persons. Always read and follow crop protection manufacturers' label(s).

FIRST AID

If swallowed: Call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

If in eyes: Flush eyes with copious amounts of clean water for at least 15 minutes. Remove contacts if present, and easy to do. Do not let the victim rub their eye. Get medical attention.

If on skin: Remove contaminated clothing and wash skin with soap and water. If irritation develops, get medical attention.

If inhaled: Remove the person from the area of exposure. Give artificial respiration if necessary. If breathing is difficult, give oxygen if a qualified operator is available. Seek medical attention.

STORAGE AND DISPOSAL

Do not store near heat or open flame. Keep from freezing. Store in original container tightly closed. Do not store with oxidizing agents or ammonium nitrate. If damaged or leaking, soak up with absorbent material and place in a suitable container for disposal. Transfer remaining product to a suitable container for storage and label. Do not contaminate water, food, or feed by storage or disposal. Do not contaminate water by runoff from equipment wash waters or spray materials. Wastes resulting from this product may be disposed of on-site or at an approved waste disposal facility.

Container Disposal: Triple rinse (or equivalent) and add rinsate to spray tank, then offer for recycling or disposal according to local, state, and Federal Laws.

AGRICULTURAL USE REQUIREMENTS AND USER SAFETY RECOMMENDATIONS

Rubber gloves, goggles, and/or face shield are recommended when handling this product. Consult crop protection manufacturers' label for worker protection recommendations.

NOTE: If contact is made with the spray solution containing pesticides, follow the "Statement of Practical Treatment" on the crop protection label.

DIRECTIONS FOR USE

Foliar application rate: 1 - 2 quarts of **Veridia™ with Proteon Technology™** per 100 gallons of spray solution (0.25%-0.5% v/v). For best results, multiple applications of **Veridia™ with Proteon Technology™** are recommended.

Veridia™ with Proteon Technology™ will enhance crop protection performance while mitigating crop stresses typically encountered from the application. **Veridia™ with Proteon Technology™** will enhance nutrient uptake and assimilation in plants.

Veridia™ with Proteon Technology™ is generally compatible with a wide range of foliar nutrients and crop protection products. Perform a jar test before full-scale mixing to ensure compatibility.

MIXING

1. To prevent or minimize foaming, fill tank 1/2 full of water and add an antifoaming agent such as **Foam-Eater**.
2. Add water-soluble fertilizers/micronutrients or dry products and agitate.
3. Add crop protection products. Combinations of agrichemicals may require the use of a compatibility agent such as **Co-Mix**.
4. Add **Veridia™ with Proteon Technology™** and mix 1 to 2 minutes.
5. Continue filling tank, maintaining minimal agitation.
6. Best results are obtained if spray mix is used within 48 hours of mixing.

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with the directions contained on this label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to damage to plants, crops, and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops, and personal injury.