Coastal AgroBusiness, Inc.

Product Label



Ready to Use
6 - 24 - 6

Guaranteed Analysis:

Total Nitrogen (N) **(6% Ammoniacal Nitrogen)** **6.00%**

Available Phosphate (P_2O_5) **24.00%**

Soluble Potash (K_2O) **6.00%**

Boron (B) **0.02%**

Iron (Fe) **(0.05% Chelated Fe)** **0.05%**

Manganese (Mn) **(0.02% Chelated Mn)** **0.02%**

Zinc (Zn) **(0.03% Chelated Zn)** **0.03%**

Plant nutrients derived from aqua ammonia, phosphoric acid, potassium hydroxide, zinc EDTA, manganese EDTA, Iron EDTA, sodium borate, and a proprietary blend of ammonium and/or potassium monocarboxylates, di-carboxylates, and metal salts of polyhydroxy carboxylates and 2-hydroxy-1,2,3-propanetricarboxylates.

CAUTION

KEEP OUT OF REACH OF CHILDREN

Read the entire label for additional precautionary statements.

Manufactured By:
Coastal AgroBusiness, Inc.
Greenville, North Carolina

GENERAL INFORMATION

Advance Growth Agent is a plant-growth enhancer that contains a blend of highly refined nutrients and natural carboxylic acids that enhance solubilization and uptake of plant nutrients. **Advance Growth Agent** can be used on a wide variety of crops as a soil application to aid early-season plant development.

PRECAUTIONARY STATEMENTS / HAZARDS TO HUMANS

CAUTION. May be harmful if swallowed, inhaled, or absorbed through skin. May cause skin and eye irritation. Avoid contact with eyes, skin, or clothing. Do not apply this product in such a manner as to expose workers or other persons directly. Use only with adequate ventilation. Wash thoroughly after handling. Remove and wash contaminated clothing before reuse. Before using this product, read all precautions, directions for use, conditions of sale - limited warranty, and limitations of liability and remedies.

FIRST AID

If swallowed: Call a physician immediately. Only induce vomiting at the instruction of a physician. Never give anything by mouth to an unconscious person.

If in eyes: Flush eyes with copious amounts of clean water for at least 15 minutes. Remove contacts if present, and easy to do. Do not let the victim rub their eye. Get medical attention.

If on skin: Remove contaminated clothing and wash skin with soap and water. If irritation develops, get medical attention.

If inhaled: Remove the person from the area of exposure. Give artificial respiration if necessary. If breathing is difficult, give oxygen if a qualified operator is available. Seek medical attention.

STORAGE AND DISPOSAL

Store in original container only. Keep packages tightly closed and do not allow water to be introduced to container contents. Do not store this product near heat or open flame. This product will freeze at temperatures below 30°F. Thawing occurs readily at temperatures greater than 32°F. Do not contaminate water, food, or feed by storage or disposal. Do not contaminate water by runoff from equipment wash waters or spray materials. Wastes resulting from this product may be disposed of on-site or at an approved waste disposal facility.

Container disposal: Empty packaging should be offered for recycling or disposal in accordance with federal, state, and local regulations. If packaging is burned, stay out of smoke.

AGRICULTURAL USE REQUIREMENTS AND USER SAFETY RECOMMENDATIONS

Use of waterproof gloves and protective eyewear is recommended when handling this product.

DIRECTIONS FOR USE

For in-furrow, banded, side-dressed, and broadcast applications through conventional equipment, use **Advance Growth Agent** at rates derived from the rate selection chart below.

RATE SELECTION CHART	
Crop	**Rate**
Cotton	Apply 1 - 2 quarts/acre as an in-furrow application or in a band over the row.
Corn	Apply 1 - 2 quarts/acre as an in-furrow application or mixed with starter fertilizer.
Tobacco	Apply 1 - 3 quarts/acre in tobacco transplant water solution.
Peanuts	Apply 1 - 2 quarts/acre as an in-furrow application or in a band over the row.
Small Grain	Apply 1 - 3 quarts/acre.

With the use of this product, the best results are obtained when **Advance Growth Agent** is incorporated, injected, or applied alone in a narrow band as close as possible to the germination and rooting zone of the crop (minimum depth 2 - 4 inches). The recommendations for the use of this product are based upon the best current information available.

When used in conjunction with pesticides, always read and follow pesticide manufacturer's label. Ask your dealer about more specific applications for **Advance Growth Agent**.

SHAKE WELL BEFORE USING

SPRAY MIX COMPATIBILITY

Applications of **Advance Growth Agent** with pesticides are possible, provided that good agitation of the spray mix is maintained. Always check compatibility prior to large-scale mixing and apply the spray mix as soon as possible. Follow the mixing sequence below:

1. Water
2. **Advance Growth Agent**
3. Pesticides

Advance Growth Agent is compatible with most liquid fertilizer/pesticide spray mixes at the manufacturer's specified label rates. However, it is recommended that a "jar test" be performed prior to actual application. In the event of fertilizer/pesticide compatibility problems, the addition of Co-Mix compatibility agent is recommended. Follow the mixing sequence below:

1. Water
2. Fertilizer
3. **Advance Growth Agent**
4. Co-Mix
5. Pesticides

NOTICE: Seller warrants that this product conforms to its chemical description and is reasonably fit for the purpose stated on the label when used in accordance with the directions contained on this label under normal conditions of use, but neither this warranty nor any other warranty of merchantability or fitness for a particular purpose, express or implied, extends to the use, storage or handling of this product contrary to label instructions, or under abnormal conditions, or under conditions not reasonably foreseeable to seller, and buyer assumes the risk of any such use. These risks include, but are not limited to, damage to plants, crops, and animals to which the material is applied, failure to control pests, damage caused by drift to other plants or crops, and personal injury.